

CLIENT ADDRESS	Chrisovergis-Pharmaid								
REPORT DATE	09.06.15			J	Status:	Final	]		
Lab Reference number	15/04/107-1								
Sample reference	Athena's Treasures Ba	Treasures Baby Cream for irritated skin + 0,8% Nipaguard SCV							
Date sample received	23.04.15								
Date sample tested	28.04.15								
			rming units per g a	ts per g after:-					
Test Organism		Baseline	2 days	7 days	14 days	28 days	Criteria		
Pseudomonas aeruginosa NCIMB 8626		5,70E+06	<10	<10	<10	<10	Α		
Staphylococcus aureus NCTC 10788		4,00E+06	<10	<10	<10	<10	Α		
Candida albicans NCPF 3179		1,10E+06	NT	NT	3,60E+04	3,00E+04	В		
Aspergillus brasiliensis IMI 149007		2,00E+05	NT	NT	3,00E+03	8,00E+03	В		
RE	SULT	PASS A CRITERIA		PASS B CRITERIA	х	FAIL			

Criteria A for bacterial species requires a 2 log reduction at day 2 and a 3 log reduction at day 7 with no increase thereafter. The B criteria requires a 3 log reduction at day 14 with no increase thereafter.

Criteria A for yeast/mould species requires a 2 log reduction at day 14 with no increase thereafter. The B criteria requires a 1 log reduction at day 14 with no increase thereafter.

Signed: Name:

Ramona Wichmannn

R. Wichung

Approved: Dr.Tom Fricke TA Manager

Jasmin Hackel

J. Grod

Issued: Jörg Grohmann

ANY QUERY CONCERNING THIS REPORT SHOULD BE DIRECTED TO DR.TOM FRICKE. TEL: +49 (0)69 305 5107

### END OF REPORT

Clariant Prrodukte (Deutschland) GmbH make no warranty of any kind, expressed, or implied, including those of merchantability and fitness for purpose, other than that the product described conforms to Pharm. Eur. 7th edition (or otherwise).



CLIENT ADDRESS	Chrisovergis-Pharmaid						
REPORT DATE	09.06.15			4	Status:	Final	7
Lab Reference number	15/04/107-2	]					
Sample reference	Athena's Treasures Sha	mpoo & Shower for Kids	+ 0,8% Nipaguard	SCV			
Date sample received	23.04.15						_
Date sample tested	28.04.15						
		Colony forn			fter:-		Criteria
Test Organism		Baseline	2 days	7 days	14 days	28 days	Criteria
Pseudomonas aeruginosa NCIMB 8626		5,70E+06	<10	<10	<10	<10	Α
Staphylococcus aureus NCTC 10788		4,00E+06	1,00E+03	<10	<10	<10	Α
Candida albicans NCPF 3179		1,10E+06	NT	NT	<10	<10	Α
Aspergillus brasiliensis IMI 149007		2,00E+05	NT	NT	2,00E+02	<10	Α
RE	SULT	PASS A CRITERIA	X	PASS B CRITERIA		FAIL	

Criteria A for bacterial species requires a 2 log reduction at day 2 and a 3 log reduction at day 7 with no increase thereafter. The B criteria requires a 3 log reduction at day 14 with no increase thereafter.

Criteria A for yeast/mould species requires a 2 log reduction at day 14 with no increase thereafter. The B criteria requires a 1 log reduction at day 14 with no increase thereafter.

Signed: Name:

Ramona Wichmannn

R. Wich un

Approved: Dr.Tom Fricke TA Manager

Jasmin Hackel

J. Grod

Issued: Jörg Grohmann

ANY QUERY CONCERNING THIS REPORT SHOULD BE DIRECTED TO DR.TOM FRICKE. TEL: +49 (0)69 305 5107

### END OF REPORT

Clariant Prrodukte (Deutschland) GmbH make no warranty of any kind, expressed, or implied, including those of merchantability and fitness for purpose, other than that the product described conforms to Pharm. Eur. 7th edition (or otherwise).



CLIENT ADDRESS	Chrisovergis-Pharmaid								
REPORT DATE	09.06.15			_	Status:	Final	7		
Lab Reference number	15/04/107-3	7							
Sample reference	Athena's Treasures Sha	Athena's Treasures Shampoo for coloured Hair + 0,25% Nipaguard SCV + 0,15% Nipaguard CMB							
Date sample received	23.04.15	23.04.15							
Date sample tested	28.04.15								
				Criteria					
Test Organism		Baseline	2 days	7 days	14 days	28 days	Criteria		
Pseudomonas aeruginosa NCIMB 8626		5,70E+06	<10	<10	<10	<10	Α		
Staphylococcus aureus NCTC 10788		4,00E+06	<10	<10	<10	<10	Α		
Candida albicans NCPF 3179		1,10E+06	NT	NT	<10	<10	Α		
Aspergillus brasiliensis IMI 149007		2,00E+05	NT	NT	<10	<10	Α		
RE	SULT	PASS A CRITERIA	х	PASS B CRITERIA		FAIL			

Criteria A for bacterial species requires a 2 log reduction at day 2 and a 3 log reduction at day 7 with no increase thereafter. The B criteria requires a 3 log reduction at day 14 with no increase thereafter.

Criteria A for yeast/mould species requires a 2 log reduction at day 14 with no increase thereafter. The B criteria requires a 1 log reduction at day 14 with no increase thereafter.

Signed: Name:

Ramona Wichmannn

R. Wichuge

Approved: Dr.Tom Fricke TA Manager

J. Fled

Jasmin Hackel

J. Grock

Issued: Jörg Grohmann

ANY QUERY CONCERNING THIS REPORT SHOULD BE DIRECTED TO DR.TOM FRICKE. TEL: +49 (0)69 305 5107

### END OF REPORT

Clariant Prrodukte (Deutschland) GmbH make no warranty of any kind, expressed, or implied, including those of merchantability and fitness for purpose, other than that the product described conforms to Pharm. Eur. 7th edition (or otherwise).



CLIENT ADDRESS	Chrisovergis-Pharmaid							
REPORT DATE	09.06.15				Status:	Final	7	
Lab Reference number	15/04/107-4	]						
Sample reference	Athena's Treasures Con	Athena's Treasures Conditioner for Coloured Hair+ 0,25% Nipaguard SCV + 0,15% Nipaguard CMB						
Date sample received	23.04.15						_	
Date sample tested	28.04.15							
	Colony for			orming units per g a	lits per g after:-			
Test Organism		Baseline	2 days	7 days	14 days	28 days	Criteria	
Pseudomonas aeruginosa NCIMB 8626		5,70E+06	<10	<10	<10	<10	Α	
Staphylococcus aureus NCTC 10788		4,00E+06	<10	<10	<10	<10	Α	
Candida albicans NCPF 3179		1,10E+06	NT	NT	<10	<10	Α	
Aspergillus brasiliensis IMI 149007		2,00E+05	NT	NT	<10	<10	Α	
RE	SULT	PASS A CRITERIA	х	PASS B CRITERIA		FAIL		

Criteria A for bacterial species requires a 2 log reduction at day 2 and a 3 log reduction at day 7 with no increase thereafter. The B criteria requires a 3 log reduction at day 14 with no increase thereafter.

Criteria A for yeast/mould species requires a 2 log reduction at day 14 with no increase thereafter. The B criteria requires a 1 log reduction at day 14 with no increase thereafter.

Signed: Name:

Ramona Wichmannn

R. Wichuge

Approved: Dr.Tom Fricke TA Manager

J. Fled

Jasmin Hackel

J. Grock

Issued: Jörg Grohmann

ANY QUERY CONCERNING THIS REPORT SHOULD BE DIRECTED TO DR.TOM FRICKE. TEL: +49 (0)69 305 5107

### END OF REPORT

Clariant Prrodukte (Deutschland) GmbH make no warranty of any kind, expressed, or implied, including those of merchantability and fitness for purpose, other than that the product described conforms to Pharm. Eur. 7th edition (or otherwise).