

Client PHARMAID/CHRYSOVERGI-STAMATIOU OE COSMETICS-PHARMACEUTICALS KANARI 182 PASTIDA 85101 RHODES Sample description (according to declaration of the Client)

CO1 OIL 6PH SUNSCREEN OIL SPF 6 LOT 180618

Sample received:	12.09.2018
Analysis completed:	08.05.2019
Report dated:	09.05.2019

IN VIVO DETERMINATION OF THE SUN PROTECTION FACTOR (SPF) AND OF THE WATER RESISTANCE

FINAL REPORT

(COMPLEMENT OF PRELIMINARY ASSESSMENT NO. 408074/18/JSHR)

Authorised by: Katarzyna Cięszczyk, Project Manager Senior Assistant (qualified electronic signature), Karolina Osiecka, Dermatologist, 2487308.

Laboratory: ul. Bajana 3D, 80-463 Gdańsk, Poland

The results relate to the analysed samples only.

This Report cannot be reproduced partially without a prior written consent of J.S. Hamilton Poland Sp. z o.o. Responsibility of J.S. Hamilton Poland Sp. z o.o. is restricted exclusively to the results and statements presented in original copy of the Report. The service confirmed by this Report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl

Page 1 / 10



SCOPE OF TEST COMPLIES WITH:

- Regulation of the European Parliament and of the Council (EC) no. 1223/2009 of 30 November 2009 on cosmetic products.
- EN ISO 24444:2010/PN-EN ISO 24444:2011 Cosmetics Sun Protection test methods In vivo determination of the sun protection factor (SPF).
- Recommendation No. 2006/647/EC on the efficacy of sunscreen products and the claims made relating thereto.
- COLIPA guidelines (December, 2005) : "Guidelines for evaluating Sun products water resistance".

Authorised by: Katarzyna Cięszczyk, Project Manager Senior Assistant (qualified electronic signature), Karolina Osiecka, Dermatologist, 2487308.

Laboratory: ul. Bajana 3D, 80-463 Gdańsk, Poland

The results relate to the analysed samples only.

This Report cannot be reproduced partially without a prior written consent of J.S. Hamilton Poland Sp. z o.o. Responsibility of J.S. Hamilton Poland Sp. z o.o. is restricted exclusively to the results and statements presented in original copy of the Report. The service confirmed by this Report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl

Page 2 / 10



CONTENT OF THE REPORT:

- 1. The basis of the study.
- 2. Subject of test.
- 3. Qualitative composition of the product.
- 4. Purpose of the test.
- 5. Samples and testing conditions.
- 6. Inclusion criteria.
- 7. Non-inclusion criteria.
- 8. Testing equipment.
- 9. Laboratory staff.
- 10. Description of the methodology.
- 11.SPF reference standard.
- 12. Product labeling method.
- 13. Date of performance of the study.
- 14. Test results.
- 15. Conclusion.
- 16. Signatures.

Authorised by: Katarzyna Cięszczyk, Project Manager Senior Assistant (qualified electronic signature), Karolina Osiecka, Dermatologist, 2487308.

Laboratory: ul. Bajana 3D, 80-463 Gdańsk, Poland

The results relate to the analysed samples only.

This Report cannot be reproduced partially without a prior written consent of J.S. Hamilton Poland Sp. z o.o. Responsibility of J.S. Hamilton Poland Sp. z o.o. is restricted exclusively to the results and statements presented in original copy of the Report. The service confirmed by this Report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl

Page 3 / 10



1. THE BASIS OF THE STUDY

- Test samples delivered by the Client.
- The qualitative composition of the product delivered by the Client.
- The results of microbiological purity of the product delivered by the Client.
- Negative results of the dermatological test (semi-open test) of the product made in J.S. Hamilton (Report of analysis no.: 137227/19/JSHR).
- Declared a sun protection factor: 6.
- Results of preliminary assessment in vivo determination of the Sun Protection Factor SPF and of the Water Resistance (Report of analysis no.: 408074/18/JSHR).

2. SUBJECT OF TEST

Parameter	Description
Appearance	Liquid
Color	Yellow
Fragrance	Characteristic for used fragrance composition
Packaging	Repackaging covered with a label containing the name of the product



Picture 1: Sample no. 424409/18/JSHR - subject of study.

Authorised by: Katarzyna Cięszczyk, Project Manager Senior Assistant (qualified electronic signature), Karolina Osiecka, Dermatologist, 2487308.

Laboratory: ul. Bajana 3D, 80-463 Gdańsk, Poland

The results relate to the analysed samples only.

This Report cannot be reproduced partially without a prior written consent of J.S. Hamilton Poland Sp. z o.o. Responsibility of J.S. Hamilton Poland Sp. z o.o. is restricted exclusively to the results and statements presented in original copy of the Report. The service confirmed by this Report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl

Page 4 / 10



3. QUALITATIVE COMPOSITION OF THE PRODUCT

Parfum, Helianthus Annuus Seed Oil & Alkanna Tinctoria Extract & Calendula Officinalis Extract & Elaeis Guinnensis Fruit Extract, Butyl Hydroxy Toluene, CI. 26100 & CI. 61565 & CI. 60725 & CI. 47000, Paraffinum Liquidum, Sorbitan Sesquioleate, Cocos Nucifera Oil, Tocopheryl Acetate, Retinyl Palmitate, Octylmethoxy Cinnamate, Benzophenone-3, Butyl Methoxydibenzoylmethane.

The Client is responsible for compliance with the declared qualitative composition of the product and microbiological purity of sent samples for testing.

4. PURPOSE OF THE TEST

Confirmation / exclusion declared by the Manufacturer the Sun Protection Factor level and water resistance.

5. SAMPLES AND TESTING CONDITIONS

Upon arrival, all products are registered on the HAMILTON LIMS System and kept at room temperature (unless otherwise requested). The test is performed in an air-conditioned room, with the room temperature maintained at $22 \pm 4^{\circ}$ C and the relative humidity $50 \pm 10^{\circ}$.

6. INCLUSION CRITERIA

Healthy subjects,

Subject having given her/his informed, written consent,

Subject that is willing to cooperate and aware of the necessity and duration of controls so that perfect adhesion to the protocol established by the clinical trial center could have been expected,

Age between 18 and 70,

Type: Caucasian,

Phototype: I to III,

Untanned skin on the test area.

Authorised by:	Katarzyna Cięszczyk, Project Manager Senior Assistant (qualified electronic signature),
	Karolina Osiecka, Dermatologist, 2487308.

Laboratory: ul. Bajana 3D, 80-463 Gdańsk, Poland

The results relate to the analysed samples only.

This Report cannot be reproduced partially without a prior written consent of J.S. Hamilton Poland Sp. z o.o. Responsibility of J.S. Hamilton Poland Sp. z o.o. is restricted exclusively to the results and statements presented in original copy of the Report. The service confirmed by this Report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl

Page 5 / 10



7. NON-INCLUSION CRITERIA

Subjects below the age of consent or >70 years,

Pregnant or lactating women,

Subjects using medication with photo-sensitizing potential,

Subjects using anti-inflammatory medication,

Subjects with dermatological conditions,

Subjects with a history of abnormal response to the sun,

Subjects accustomed to using tanning beds,

Subjects having had sun exposure on the back area in the previous four weeks prior to SPF testing,

Subjects having marks, blemishes or nevi or presenting existing sun damage in the test area,

Subjects having excessive hair in the area of the test.

Authorised by: Katarzyna Cięszczyk, Project Manager Senior Assistant (qualified electronic signature), Karolina Osiecka, Dermatologist, 2487308.

Laboratory: ul. Bajana 3D, 80-463 Gdańsk, Poland

The results relate to the analysed samples only.

This Report cannot be reproduced partially without a prior written consent of J.S. Hamilton Poland Sp. z o.o. Responsibility of J.S. Hamilton Poland Sp. z o.o. is restricted exclusively to the results and statements presented in original copy of the Report. The service confirmed by this Report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl

Page 6 / 10



8. TESTING EQUIPMENT

UV source:	Xenon lamp:			
	Solar Light type Multiport 601			
	Spectrum:			
	290 - 400 nm			
	Power of the lamp:			
	300 W.			
	Elimination of IR and visible radiation:			
	UG11 (1mm) and dichroic mirror.			
	Radiated surface:			
	Six holes (diameter 8 mm).			
UV Light	Solar Light Co. DCS 2.0.			
Radiometer:				
Detector:	Solar Light Co. Erythema detector PMA2108.LLG.			
Bath:	For water immersion test.			

9. LABORATORY STAFF

The application of the product and visual skin assessment of the responses are made by technically qualified and trained persons.

10.DESCRIPTION OF METHODOLOGY

The matter is to compare the Sun Protection Factor of the product applied at $2 \pm 0,05 \text{ mg/cm}^2$ obtained after 2 immersions of 20 minutes in a bath of water at $29 \pm 2^{\circ}$ C, to that obtained without immersion.

The Sun Protection Factor is the ratio of the Minimal Erythemal Dose obtained in presence of the product (MEDp) to the Minimal Erythemal Dose obtained without the product (MEDu).

SPF = MEDp/MEDu

The Minimal Erythemal Dose is defined as the quantity of energy necessary to produce the first perceptible unambiguous redness reaction with clearly defined borders, evaluated 16 to 24 hours after exposure to a solar simulator, with 6 increasing doses of UV (12% progression).

The study must be carried out on at least 10, and not more than 20 subjects and must satisfy the statistical criterion on the SPF (95% CI < 17% Average SPF) and on the water resistance (WR% - d \geq 50%).

Authorised by: Katarzyna Cięszczyk, Project Manager Senior Assistant (qualified electronic signature), Karolina Osiecka, Dermatologist, 2487308.

Laboratory: ul. Bajana 3D, 80-463 Gdańsk, Poland

The results relate to the analysed samples only.

This Report cannot be reproduced partially without a prior written consent of J.S. Hamilton Poland Sp. z o.o. Responsibility of J.S. Hamilton Poland Sp. z o.o. is restricted exclusively to the results and statements presented in original copy of the Report. The service confirmed by this Report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl

Page 7 / 10



11.SPF REFERENCE STANDARD

The method is controlled by the use of one of three reference sunscreen formulations to verify the test procedure (P2, P3, P7). At least one standard product must be used per test. The mean SPF and the acceptance limits for the used reference sunscreen formulations are:

Reference	Mean SPF	Range (±SD)	Acceptance limits		
Sunscreen			(mean + 2SD)		
Formulation					
			Lower limit	Upper limit	
P2	16,1	1,2	13,7	18,5	

12.PRODUCT LABELING METHOD

The following range of sun protection factors for each category and the respective labeling is recommended (in accordance with 2006/647/CE):

Labelled category	Labelled sun protection	Measured sun protection		
	factor	factor		
"Low protection"	<i>``6″</i>	6-9,9		
	<i>``10″</i>	10-14,9		
	"15"	15-19,9		
"Medium protection"	"20 <i>"</i>	20-24,9		
	<u>``25″</u>	25-29,9		
"High protection"	<i>``30″</i>	30-49,9		
	<i>``50″</i>	50-59,9		
"Very high protection"	"50+ <i>"</i>	60≤		

13.DATE OF PERFORMANCE OF THE STUDY

408074/18/JSHR: 17.04.2019-24.04.2019 424409/18/JSHR: 06.05.2019-08.05.2019

Authorised by: Katarzyna Cięszczyk, Project Manager Senior Assistant (qualified electronic signature), Karolina Osiecka, Dermatologist, 2487308.

Laboratory: ul. Bajana 3D, 80-463 Gdańsk, Poland

The results relate to the analysed samples only.

This Report cannot be reproduced partially without a prior written consent of J.S. Hamilton Poland Sp. z o.o. Responsibility of J.S. Hamilton Poland Sp. z o.o. is restricted exclusively to the results and statements presented in original copy of the Report. The service confirmed by this Report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl

Page 8 / 10



14.TEST RESULTS

SUBJECTS			RESULTS								
No.	Age	Sex	Phototype	MEDu	MEDs	MEDp	MEDpi	SPFs	SPFi p	SPFi pi	% WR Retention
					mJ/	cm^2					
1	55	W	I	24,00	430,00	144,00	74,00	17,92	6,00	3,08	51,39
2	21	W	I	24,00	442,00	96,00	53,76	18,42	4,00	2,24	56,00
3	30	W	II	36,00	652,00	216,00	160,71	18,11	6,00	4,46	74,40
4	50	W	III	42,00	769,00	294,00	147,00	18,31	7,00	3,50	50,00
5	57	W	III	40,00	728,00	240,00	120,00	18,20	6,00	3,00	50,00
6	59	W	II	38,00	689,00	228,00	114,00	18,13	6,00	3,00	50,00
7	59	W	II	34,00	608,00	238,00	168,75	17,88	7,00	4,96	70,90
8	48	W	II	28,00	507,00	196,00	98,00	18,11	7,00	3,50	50,00
9	58	W	III	36,00	652,00	252,00	126,00	18,11	7,00	3,50	50,00
10	33	М	II	36,00	644,00	241,92	111,00	17,89	6,72	3,08	45,88
	Average value					18,1	6,3	3,4	54,9		
	Standard deviation					0,2	0,9	0,8	9,73		
	cn					0,1	0,7	0,6	6,96		
	Cln(100%)					0,7	10,6	16,2	12,68		

Authorised by: Katarzyna Cięszczyk, Project Manager Senior Assistant (qualified electronic signature), Karolina Osiecka, Dermatologist, 2487308.

Laboratory: ul. Bajana 3D, 80-463 Gdańsk, Poland

The results relate to the analysed samples only.

This Report cannot be reproduced partially without a prior written consent of J.S. Hamilton Poland Sp. z o.o. Responsibility of J.S. Hamilton Poland Sp. z o.o. is restricted exclusively to the results and statements presented in original copy of the Report. The service confirmed by this Report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl

Page 9 / 10



MEDu: the Minimal Erythema Dose (MED) for unprotected skin.

- **MEDs:** the Minimal Erythema Dose (MED) for protected skin by standard sunscreen.
- **MEDp:** the Minimal Erythema Dose (MED) for protected skin by tested sunscreen without immersion.
- **MEDpi:** the Minimal Erythema Dose (MED) for protected skin by tested sunscreen after immersion.

SPF s: MEDs/MEDu SPFi p: MEDp/MEDu SPFi pi: MEDpi/MEDu

15.CONCLUSION

Product « CO1 OIL 6PH »:

- has an average SPF of 6,3.
- could support the claim «Water resistant» because the value [Mean %WRR] is greater than 50% of the SPF without immersion.
 - a. mean SPF value: 6,3.
 - **b.** standard deviation: 0,9.
 - c. 95%CI confidence interval: from 4,00 to 7,00.
 - d. SPF value to be used in labelling (according to 2006/647/CE): 6 (low protection).
 - e. mean SPF value after immersion: 3,4.
 - **f.** standard deviation: 0,8.
 - g. 95%CI confidence interval: from 2,24 to 4,96.
 - h. % WR Retention: 54,9.

16.SIGNATURES

Authorized by:	Katarzyna Cięszczyk Project Manager Senior Assistant	
Authorized by:	Karolina Osiecka Dermatologist 2487308	

Authorised by: Katarzyna Cięszczyk, Project Manager Senior Assistant (qualified electronic signature), Karolina Osiecka, Dermatologist, 2487308.

Laboratory: ul. Bajana 3D, 80-463 Gdańsk, Poland

The results relate to the analysed samples only.

This Report cannot be reproduced partially without a prior written consent of J.S. Hamilton Poland Sp. z o.o. Responsibility of J.S. Hamilton Poland Sp. z o.o. is restricted exclusively to the results and statements presented in original copy of the Report. The service confirmed by this Report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl

Page 10 / 10