



CHEM SOLUTIONS

ANALYTICAL LABORATORIES



CHEMICAL TESTING
LABORATORY RECOGNIZED BY
THE IOC
1.12.2021- 30.11.2022
ADVANCED & RESIDUES TESTING

Kalimnou 5A, Moschato, Athens, Greece
Tel: +30 2111831992, e-mail: info@chemsolutions.gr

CERTIFICATE OF ANALYSIS: 12940

Personal Data

Company: Evercrete Antonakis Bross LTD
First Name last Name: Kiriakos Antonakis
Address: Varipetro, Chania, Crete
Tel: +306972666373
email: kiriakos.antonakis@gmail.com

Sample Data

Sample: Extra Virgin Olive Oil
Sample Code: 12940
Date of Receipt: 18/01/2022
Date of Analysis: 18/01/2022
Condition of Sample: Acceptable
Sampling responsible: Client
Description: Sealed bottle A948

Determination	Units	Result	Limit ¹	Method of Analysis
Acidity	% w/w oleic acid	0.45	M 0.8	EEC 2568/91 Annex II ²

¹Analytical data within limits of E.U. regulation 2568/91 Extra for Virgin Olive Oil as amended and valid.
(M: Maximum)

Any reproduction of the results is strictly forbidden without the laboratory's permission. The results only refer to the sample as submitted by customer. ²Methods included to the scope of Accreditation according to standard ELOT EN ISO 17025. Certificate number 964.

Kalimnou 5A, Moschato, Athens, Greece

CERTIFICATE OF ANALYSIS: 12940

Personal Data

Company: Evercrete Antonakis Bross LTD
First Name last Name: Kiriakos Antonakis
Address: Varipetro, Chania, Crete
Tel: +306972666373
email: kiriakos.antonakis@gmail.com

Sample Data

Sample: Extra Virgin Olive Oil
Sample Code: 12940
Date of Receipt: 18/01/2022
Date of Analysis: 18/01/2022
Condition of Sample: Acceptable
Sampling responsible: Client
Description: Sealed bottle A948

Determination	Result	Determination	Result	Determination	Result	Report limit
Pesticides Residues						
Methamidophos	<R. L.	Pentachlorobenzonitrile	<R. L.	Chlorpyrifos ethyl	<R. L.	0.01 mg/Kg
Dichlorvos	<R. L.	Profluralin	<R. L.	4,4'-Dichlorobenzophenone	<R. L.	0.01 mg/Kg
Allidochlor	<R. L.	Pyrimethanil	<R. L.	Triadimefon	<R. L.	0.01 mg/Kg
Dichlorobenzil	<R. L.	Terbutylazine	<R. L.	Fenson	<R. L.	0.01 mg/Kg
Biphenyl	<R. L.	Diazinon	<R. L.	MGK 264	<R. L.	0.01 mg/Kg
3,4-dichloroaniline	<R. L.	Phosphamidon	<R. L.	Bromophos methyl	<R. L.	0.01 mg/Kg
Propham	<R. L.	Fluchloralin	<R. L.	Diphenamid	<R. L.	0.01 mg/Kg
Etridiazole	<R. L.	Delta-HCH	<R. L.	Isodrin	<R. L.	0.01 mg/Kg
Pebulate	<R. L.	Terbacil	<R. L.	Cyprodinil	<R. L.	0.01 mg/Kg
cis-1,2,3,6-tetrahydrophtalimide	<R. L.	Chlorothalonil	<R. L.	Pirimiphos ethyl	<R. L.	0.01 mg/Kg
Methacrifos	<R. L.	Tefluthrin	<R. L.	Isopropalin	<R. L.	0.01 mg/Kg
Chloroneb	<R. L.	Triallate	<R. L.	Heptachlor epoxide	<R. L.	0.01 mg/Kg
Pentachlorobenzene	<R. L.	Isazofos	<R. L.	Metazachlor	<R. L.	0.01 mg/Kg
omethoate	<R. L.	Endosulfan ether	<R. L.	Pendimethalin	<R. L.	0.01 mg/Kg
Tecnazene	<R. L.	Pentachloraniline	<R. L.	Penconazol	<R. L.	0.01 mg/Kg
Propachlor	<R. L.	Propanil	<R. L.	Tolyfluanid	<R. L.	0.01 mg/Kg
diphenylamine	<R. L.	Dimethachlor	<R. L.	Captan	<R. L.	0.01 mg/Kg
2,3,5,6-tetrachloroaniline	<R. L.	Acetochlor	<R. L.	Bromfenvinphos methyl	<R. L.	0.01 mg/Kg
Ethoprophos	<R. L.	Chlorpyrifos methyl	<R. L.	Chlorfenvinphos	<R. L.	0.01 mg/Kg
Cycloate	<R. L.	Vinclozolin	<R. L.	Quinalphos	<R. L.	0.01 mg/Kg
Ethafuralin	<R. L.	Malaoxon	<R. L.	Folpet	<R. L.	0.01 mg/Kg
Dicrotophos	<R. L.	Tolclofos methyl	<R. L.	Bioallethrin	<R. L.	0.01 mg/Kg
Trifluralin	<R. L.	Heptachlor	<R. L.	Fipronil	<R. L.	0.01 mg/Kg
Benfluralin	<R. L.	Transfluthrin	<R. L.	Chlorbensid	<R. L.	0.01 mg/Kg
Sulfotep	<R. L.	Alachlor	<R. L.	Procymidone	<R. L.	0.01 mg/Kg
Diallate	<R. L.	Propisochlor	<R. L.	Triadimenol	<R. L.	0.01 mg/Kg
Alpha-HCH	<R. L.	paraoxon ethyl	<R. L.	trans-Chlordane	<R. L.	0.01 mg/Kg
Dimethoate	<R. L.	Fenchlorphos	<R. L.	Triflumizole	<R. L.	0.01 mg/Kg
Hexachlorobenzene	<R. L.	Fenitrothion	<R. L.	2,4'-DDE	<R. L.	0.01 mg/Kg
Dichloran	<R. L.	Methidathion	<R. L.	Bromophos ethyl	<R. L.	0.01 mg/Kg
Pentachloroanisole	<R. L.	Linuron	<R. L.	Paclbutrazol	<R. L.	0.01 mg/Kg
Atrazine	<R. L.	Pirimiphos methyl	<R. L.	Endosulfan-alpha	<R. L.	0.01 mg/Kg
Clomazon	<R. L.	Prodiamine	<R. L.	cis-Chlordane	<R. L.	0.01 mg/Kg
Beta-HCH	<R. L.	dichlorofluanid	<R. L.	Cis Tetrachlorvinphos	<R. L.	0.01 mg/Kg
Lindane	<R. L.	Anthraquinone	<R. L.	Trans Nonachlor	<R. L.	0.01 mg/Kg
Terbutylazine	<R. L.	Aldrin	<R. L.	Flutriafol	<R. L.	0.01 mg/Kg
Quintozene	<R. L.	Malathion	<R. L.	Chlorfenson	<R. L.	0.01 mg/Kg
Terbufos	<R. L.	Metolachlor-S	<R. L.	Fenamiphos	<R. L.	0.01 mg/Kg
Propyzamide	<R. L.	Fenthion	<R. L.	Iodofenphos	<R. L.	0.01 mg/Kg

Any reproduction of the results is strictly forbidden without the laboratory's permission. The results only refer to the sample as submitted by customer. ²Methods included to the scope of Accreditation according to standard ELOT EN ISO 17025. Certificate number 964.

Kalimnou 5A, Moschato, Athens, Greece

CERTIFICATE OF ANALYSIS: 12940

Personal Data

Company: Evercrete Antonakis Bross LTD
First Name last Name: Kiriakos Antonakis
Address: Varipetro, Chania, Crete
Tel: +306972666373
email: kiriakos.antonakis@gmail.com

Sample Data

Sample: Extra Virgin Olive Oil
Sample Code: 12940
Date of Receipt: 18/01/2022
Date of Analysis: 18/01/2022
Condition of Sample: Acceptable
Sampling responsible: Client
Description: Sealed bottle A948

Determination	Result	Determination	Result	Determination	Result	Report limit
Pesticides Residues						
Bromfenvinphos ethyl	<R. L.	Sulprophos	<R. L.	Pyriproxyfen	<R. L.	0.01 mg/Kg
Tricyclazole	<R. L.	Carbophenothion	<R. L.	Fenarimol	<R. L.	0.01 mg/Kg
Flutolanil	<R. L.	Edifenphos	<R. L.	Lambda-Cyhalothrin	<R. L.	0.01 mg/Kg
Prothiofos	<R. L.	Endosulfan total (sulfate)	<R. L.	Azinphos ethyl	<R. L.	0.01 mg/Kg
Profenofos	<R. L.	4,4'-Methoxychlor olefin	<R. L.	Pyrazophos	<R. L.	0.01 mg/Kg
Dieldrin	<R. L.	Lenacil	<R. L.	Pyraclufos	<R. L.	0.01 mg/Kg
Fludioxonil	<R. L.	norflurazon	<R. L.	Acrinathrin	<R. L.	0.01 mg/Kg
4,4'-DDE	<R. L.	4,4'-DDT	<R. L.	Trans Permethrine	<R. L.	0.01 mg/Kg
Pretilachlor	<R. L.	Trifloxystrobin	<R. L.	Pyridaben	<R. L.	0.01 mg/Kg
2,4'-DDD	<R. L.	Hexazinone	<R. L.	Cis Permethrine	<R. L.	0.01 mg/Kg
Oxadiazon	<R. L.	Tebuconazole	<R. L.	Fluquinconazole	<R. L.	0.01 mg/Kg
Myclobutanil	<R. L.	o,p'-Methoxychlor olefin	<R. L.	Coumaphos	<R. L.	0.01 mg/Kg
Diclobutrazol	<R. L.	Captafol	<R. L.	Prochloraz	<R. L.	0.01 mg/Kg
Azaconazole	<R. L.	Propargite	<R. L.	Cyfluthrin beta	<R. L.	0.01 mg/Kg
Prothioconazole desthio	<R. L.	Epoxiconazole	<R. L.	Cypermethrin	<R. L.	0.01 mg/Kg
Flusilazole	<R. L.	Resmethrin	<R. L.	Cypermethrin-alpha	<R. L.	0.01 mg/Kg
Oxyfluorfen	<R. L.	Endrin ketone	<R. L.	Flucythrinate	<R. L.	0.01 mg/Kg
Bupirimate	<R. L.	Nitralin	<R. L.	Etofenprox	<R. L.	0.01 mg/Kg
Endrin	<R. L.	Iprodione	<R. L.	Fluridone	<R. L.	0.01 mg/Kg
Kresoxim Methyl	<R. L.	Phosmet	<R. L.	Fenvalerate	<R. L.	0.01 mg/Kg
Nitrofen	<R. L.	Pyridaphenthion	<R. L.	Pyraclostrobin	<R. L.	0.01 mg/Kg
Cyproconazol	<R. L.	Tetramethrin	<R. L.	tau-Fluvalinate	<R. L.	0.01 mg/Kg
Perthan	<R. L.	EPN	<R. L.	difenoconazole	<R. L.	0.01 mg/Kg
Endosulfan beta	<R. L.	Methoxychlor	<R. L.	Deltamethrin	<R. L.	0.01 mg/Kg
fenthion sulfoxide	<R. L.	Bifenthrin	<R. L.	Phorate	<R. L.	0.01 mg/Kg
Diniconazole	<R. L.	Prothioconazole	<R. L.	Parathion methyl	<R. L.	0.01 mg/Kg
Chlorthiophos	<R. L.	Tebufenpyrad	<R. L.	Parathion ethyl	<R. L.	0.01 mg/Kg
4,4'-DDD (TDE)	<R. L.	Tetradifon	<R. L.	Metalaxyl	<R. L.	0.01 mg/Kg
Cis Nonachlor	<R. L.	Phenothrin	<R. L.	Fluazifop-P-butyl	<R. L.	0.01 mg/Kg
fenthion sulfone	<R. L.	Azinphos methyl	<R. L.	Triazophos	<R. L.	0.01 mg/Kg
2,4'-DDT	<R. L.	Phosalone	<R. L.	Piperonyl-Butoxide	<R. L.	0.01 mg/Kg
Endrin aldehyde	<R. L.	Leptophos	<R. L.	Methyl	<R. L.	0.01 mg/Kg
Ethion	<R. L.	Mirex	<R. L.	pentachlorophenyl sulfide	<R. L.	0.01 mg/Kg
Chlorfenapyr	<R. L.	Fenpropathrin	<R. L.			

Method of analysis: In House GC MS/MS (J. of Chromatography A, 912 (2001) 135-142 & AOAC 2007.1)

Any reproduction of the results is strictly forbidden without the laboratory's permission. The results only refer to the sample as submitted by customer. ²Methods included to the scope of Accreditation according to standard ELOT EN ISO 17025. Certificate number 964.

Kalimnou 5A, Moschato, Athens, Greece



CHEM SOLUTIONS ANALYTICAL LABORATORIES



CHEMICAL TESTING
LABORATORY RECOGNIZED BY
THE IOC
1.12.2020 - 30.11.2021
ADVANCED & RESIDUES TESTING

Kalimnou 5A, Moschato, Athens, Greece
Tel: +30 2111831992, e-mail: info@chemsolutions.gr

CERTIFICATE OF ANALYSIS: 12940

Personal Data

Company: Evercrete Antonakis Bross LTD
First Name last Name: Kiriakos Antonakis
Address: Varipetro, Chania, Crete
Tel: +306972666373
email: kiriakos.antonakis@gmail.com

Sample Data

Sample: Extra Virgin Olive Oil
Sample Code: 12940
Date of Receipt: 18/01/2022
Date of Analysis: 18/01/2022
Condition of Sample: Acceptable
Sampling responsible: Client
Description: Sealed bottle A948

DATE OF ISSUE: 19/01/2022

On behalf of the laboratory



Michalis Tampakopoulos
Chemist, M.Sc.

End of the Report

Any reproduction of the results is strictly forbidden without the laboratory's permission. The results only refer to the sample as submitted by customer. ²Methods included to the scope of Accreditation according to standard ELOT EN ISO 17025. Certificate number 964.

Kalimnou 5A, Moschato, Athens, Greece